## SPECIAL ISSUE VOLUME | ISSUE | YEAR 45 | 8 | 2021 ISSN 1300-008X · E-ISSN 1303-6106

Medicinal plants from past to present: From ethnomedicinal to ethnopharmacology

# TURKISH JOURNAL OF **BOTANY**

http://journals.tubitak.gov.tr/botany/

**Guest Editors** 

Prof. Dr. İlkay ERDOĞAN ORHAN Prof. Dr. Selami SELVİ Prof. Dr. Uğur ÇAKILCIOĞLU









Published by the Scientific and echnological Research Council of Turkey

### **TURKISH JOURNAL OF BOTANY**

Editor-in-Chief Assistant Editor-in-Chief

Asim KADIOĞLU, Karadeniz Technical University, Turkey Ferhat CELEP, Kırıkkale University, Turkey Jeff OLLERTON, University of Northampton, UK

**VOLUME 45 • ISSUE 8 • 2021** ISSN 1300-0985 • E-ISSN 1303-619X

#### **SCOPE OF JOURNAL**

The Turkish Journal of Botany is published electronically 6 times a year by the Scientific and Technological Research Council of Turkey (TÜBİTAK) and accepts manuscripts (in English) covering all areas of plant biology (including genetics, evolution, systematics, structure, function, development, diversity, conservation biology, biogeography, paleobotany, ontogeny, functional morphology, ecology, reproductive biology, and pollination biology), all levels of organisation (molecular to ecosystem), and all plant groups and allied organisms (algae, fungi, and lichens). Authors are required to frame their research questions and discuss their results in terms of major questions in plant biology. In general, papers that are too narrowly focused, purely descriptive, or broad surveys, or that contain only preliminary data or natural history, will not be considered.

#### **EDITORIAL BOARD**

- Abdullah KAYA, Gazi University, Turkey
- Abuzer ÇELEKLİ, Gaziantep University, Turkey
- Adem BIÇAKÇI, Uludağ University, Turkey
- Ahmet AKSOY, Akdeniz University, Turkey
- Ahmet ASAN, Trakya University, Turkey
- Aleel K. GRENNAN, University of Illinois, U.S.A.
- Ali Aslan DÖNMEZ, Hacettepe University, Turkey
- André Rodrigo RECH, Universidade Federal dos Vales do Jequitinhonha e Mucuri, Brazil
- Aykut GÜVENSEN, Ege University, Turkey
- Ayla KAYA, Anadolu University, Turkey
- Ayşegül KÖROĞLU, Ankara University, Turkey
- Barış ÖZÜDOĞRU, Hacettepe University, Turkey
- Barış UZİLDAY, Ege University, Turkey
- Birol MUTLU, İnönü University, Turkey
- Bo LI, Jiangxi Agricultural University, China
- Bryan T. DREW, University of Nebraska, U.S.A.
- Burcu ALPTEKIN, University of Wisconsin, U.S.A.
- Carmen Galan SOLDEVILLA, University of Córdoba , Spain
- Cengiz KAYA, Harran University, Turkey
- Ceyda ÖZFİDAN KONAKÇI, Necmettin Erbakan University, Turkey
- Chunlei XIANG, Chinese Academy of Sciences, China
- Dietmar QUANDT, University of Bonn, Germany
- Dirk Carl ALBACH, University Oldenburg, Germany
- Emin UĞURLU, Bursa Technical University, Turkey
- Ergin HAMZAOĞLU, Gazi University, Turkey
- Ertuğrul SESLİ, Trabzon University, Turkey
- Esra MARTIN, Necmettin Erbakan University, Turkey
- Evren YILDIZTUGAY, Selçuk University, Turkey
- Fatma ÜNAL, Gazi University, Turkey
- Gökhan ABAY, Recep Tayyip Erdoğan University, Turkey
- Gökhan ZENGİN, Selçuk University, Turkey
- Graziela CURY, Universidade de São Paulo, Brazil
- Gülcan ŞENEL, Ondokuz Mayıs University, Turkey
- Güray UYAR, Ankara Hacı Bayram Veli University, Turkey
- Gürkan SEMİZ, Pamukkale University, Turkey
- Hamdi Güray KUTBAY, Ondokuz Mayıs University, Turkey
- Hasan Hüseyin DOĞAN, Selçuk University, Turkey
- Hayri DUMAN, Gazi University, Turkey
- Hye-Kyoung MOON, Kyung Hee University, South Korea
- İlkay ERDOĞAN ORHAN, Gazi University, Turkey

- İsmail TÜRKAN, Ege University, Turkey
- Jeff ROSE, University of Wisconsin, U.S.A.
- John McNEIL, Monash University, Australia
- Kamil COŞKUNÇELEBİ, Karadeniz Technical University, Turkey
- Krzysztof SPALIK, University of Warsaw, Poland
- Kuddisi ERTUĞRUL, Selçuk University, Turkey
- Luigi NASELLI-FLORES, University of Palermo, Italy
- Lütfi BEHÇET, Bingöl University, Turkey
- Mark CHASE, Royal Botanic Gardens, KEW, United Kingdom
- Martin A. LYSAK, Masaryk University, Czech Republic
- Maximilian WEIGEND, Nees-Institut für Biodiversität der Pflanzen, Germany
- Mehmet Cengiz BALOĞLU, Kastamonu University, Turkey
- Mehmet Gökhan HALICI, Erciyes University, Turkey
- Melis AKMAN, University of California, Berkeley, U.S.A.
- Mengxiang SUN, Wuhan University, China
- Muhammad ZAFAR, Quaid-i Azam University, Pakistan
- Neslihan SARUHAN GÜLER, Karadeniz Technical University, Turkey
- Nur Münevver PINAR, Ankara University, Turkey
- Nuray KAYA, Akdeniz University, Turkey
- Osman TUGAY, Selçuk University, Turkey
- Pilar CATALAN, University of Zaragoza, Spain
- Rıza BİNZET, Mersin University, Turkey
- Sara MANAFZADEH, ETH Zurich, Switzerland
- Selami SELVİ, Balıkesir University, Turkey
- Serdar MAKBUL, Recep Tayyip Erdoğan University, Turkey
- Sevcan ÇELENK, Uludağ University, Turkey
- Thomas DENK, Swedish Museum of Natural History , Sweden
- Tuna UYSAL, Selçuk University, Turkey
- Tuncay DİRMENCİ, Balıkesir University, Turkey
- Uğur ÇAKILCIOĞLU, Munzur University, Turkey
- Utku AVCI, Recep Tayyip Erdoğan University, Turkey
- Xinli WEI, Chinese Academy of Sciences, China
- Yasaman SALMAKI, University of Tehran, Iran
- Yoichiro HOSHINO. Hokkaido University. Japan
- Yusuf KURT, Harran University, Turkey
- Yusuf MENEMEN, Kırıkkale University, Turkey
- Zongxin REN, Chinese Academy of Sciences, China

- ABSTRACTED AND INDEXED
- Thomson Reuters (SCI-E)
- EBSCOhost
- Elsevier BV
- MinAbs Online
- Ovid
- ProQuest

# CONTENTS

Pretacei İlkay ERDOĞAN ORHAN, Selami SELVİ, Uğur ÇAKILCIOĞLU
A rich fading biocultural diversity? A review of traditional herbal teas used by minorities in the Balkans
Medicinal plants of Pakistan and their xanthine oxidase inhibition activity to treat gout: a systematic review
Phenolic content, antibacterial, antioxidant, and toxicological investigations of <i>Erodium guttatum</i> (Geraniaceae) collected from the Northeast of Morocco
Hanae NACEIRI MRABTI, Latifa DOUDACH, Mohamed Reda KACHMAR, Abdelaziz ED-DRA, Zineb KHALIL5, Nidal NACEIRI MRABTI6, Kaoutar BENRAHOU, Khouloud HARRAQUI, Gökhan ZENGİN, Abdelhakim BOUYAHYA, Moulay El Abbes FAOUZI
GC-MS profiling, antioxidant, antimicrobial activities, DNA cleavage effect of <i>Symphytum aintabicum</i> HubMor. & Wickens (Boraginaceae) and its anticancer activity on MCF-7 cell line
A comparative study of physicochemical properties, antioxidant and enzyme inhibition activities of oils extracted from seeds of seven new sunflower ( <i>Helianthus annuus</i> L.) lines
Screening of cytotoxicity and DNA topoisomerase IIa inhibitory activity of Turkish <i>Onosma species</i>
Design of microemulsion formulations loaded <i>Scutellaria salviifolia</i> Benth, <i>Sideritis libanotica</i> Labill. subsp. linearis (Bentham) Bornm, and <i>Ziziphora clinopodioides</i> Lam. extracts from Turkey and in vitro evaluation of their biological activities
Umay Merve GÜVEN, Serpil DEMİRCİ KAYIRAN, Abdurrahman AYGÜL, Merve NENNİ, Saliha KIRICI
Anti-mycobacterial activity and chemical composition of essential oils and phenolic extracts of the balsam of <i>Liquidambar orientalis</i> Mill. (Altingiaceae)
Anticancer, and antioxidant activities of royal jelly on HT-29 colon cancer cells and melissopalynological analysis809 Adnan AYNA, Abdullah TUNÇ, Sedanur ÖZBOLAT, Aydın Şükrü BENGÜ, Gürkan AYKUTOĞLU, Deniz CANLI, Rıdvan POLAT, Mehmet ÇİFTCİ, Ekrem DARENDELİOĞLU
<i>Mesua ferrea</i> L. (Calophyllaceae) exerts therapeutic effects in allergic asthma by modulating cytokines production in asthmatic rats

#### Preface

The human's first interest in plants dates back to his need for food, shelter, and protection. Over time, his attention shifts to the remedies for injuries and diseases, which is a field of science that is known today as ethnobotany, which studies the direct interaction between plants and humans. Medicinal plants that constitute an important part of ethnobotany have been used by humans for the treatment of various diseases for thousands of years. Plants are used by human beings for healing since ancient times. Over time, people have observed that animals living in their natural habitats do not eat every plant and stay away from poisonous plants, while they have started to use the plants on themselves in case of illness, mostly by trial and error method. With the invention of writing, the medical experience and information accumulated until then began to be recorded. According to Assyrian and Babylonian sources dating back to the 2000s B.C., it was discovered that approximately 250 herbal-based drugs such as mustard, dates, hemp, and olives were used in treatments. Nabu-Leu, a physician who lived in the time of the Assyrians, kept his records in cuneiform, which is exhibited in the Museum of Asia Minor in Berlin and is accepted as the "oldest known pharmacopoeia".

In Mesopotamian civilizations, plants constitute a large part of the medicines of the period. The use of medicinal plants in the Egyptian civilization is common, as mentioned in Homer's Odyssey in the 9th century B.C. Especially in the Ebers papyrus, there are about 800 recipes with 77 herbal and animal drug names. Ayurveda, which forms the basis of traditional Indian medicine, is one of the most recognized medical systems in the world, surviving and flourishing from history to the present. Ayurvedic medicine influenced Greek medicine, the medicine of Islamic civilization through Mesopotamia, and, finally, today's modern medicine. Treatment in Chinese traditional medicine generally includes dieting to restore balance, herbal prescriptions, and acupuncture therapy. Since traditional Chinese medicine has been started to be practiced, which started in the 2000s B.C., not only plants but also animal sources and minerals have been used in treatments. There are almost 5000 herbal resources in the Chinese Medica Materica (monograph book), which was recovered in 1977. In ancient Greek medicine, physical and spiritual training, hot water baths (physiotherapy), simple herbal medicines, and diet practices were also used to heal. The use of laxative and emetic plants was one of the treatment methods applied in Hippocratic medicine as well as in Egyptian medicine. Hippocrates' famous saying, "Let food be thy medicine and medicine be thy food" emphasized the importance of nutrients and plants in a healthy diet. Dioscorides, in his book "Peri Hyles Latrikes", included 1066 drugs consisting of medicinal plants and minerals. During Islamic medicine in the Middle Age, there were very famous physicians, who used plants in the treatments, i.e., Taberî, Razî, Dinaverî, Birûnî, Zehravî, and Ibn-i Sina. For instance, Birûnî wrote about the benefits of 3000 plant species and how to use them as a medicine. Ibn-i Sina mentioned about 800 plants in the second volume of her greatest work, "Kanun-u Fi't-Tib". Many animal, mineral, and plant origin sources were listed in alphabetical order in 2353 items in the work called "el-Mufredat" by Ibn'ül Baytar, who pioneered botanical science.

In brief, since ancient times, human beings have used plants for therapeutic purposes and after the invention of writing, they tried to record their treatment methods on various materials from clay tablets to papyrus. The concept of folk medicine has emerged in every society by transferring knowledge orally through generations.

Although folk medicine practices remained at a more local level, systems such as Chinese traditional medicine and Kampo medicine, which are treatment systems with written sources, have been more universally accepted. Therefore, traditional knowledge is a very important resource, especially in drug development and research. The documentation of plants used in traditional medicine systems and folk medicine still maintains its importance, as the ethnopharmacological records of the plants used in the treatment in the past centuries help to plan and guide today's researches. It also allows the ethnopharmacological activities to be examined and proven with modern techniques. Recording ethnobotanical information is also crucial for the discovery of new drug molecules. It is known that many drugs containing many bioactive substances such as digoxin, digitoxin, morphine, reserpine, taxol, vinblastine, vincristine, which are used in treatment today, are obtained from ethnobotanical studies. As in the past, plants are undoubtedly important raw material sources for the treatment of diseases today.

In short, ethnobotanical studies enable the traditional knowledge of the people to be transferred to scientific research and thus, new therapeutic agents can be developed. Ethnopharmacology, a sub-branch of ethnobotany, scientifically reveals the activity of the active substances in medicinal plants on living things. In recent years, ethnopharmacology has become increasingly popular as more and more studies are conducted, confirming the positive effects of herbs on human health. The study of drugs derived from natural sources has provided strong scientific support for further research into the medicinal properties of plants. New drugs have been discovered through the study of ethnopharmacology. Many common medicines used in contemporary society originate, at least in part, from natural sources. In this sense, documentation and preservation of ethnobotanical and ethnopharmacological knowledge is extremely important as well as transferring ancient knowledge to the present and to future generations. By considering these facts, in this special issue, a theme entitled "Medicinal plants from past to present: From ethnomedicinal to ethnopharmacology" has been chosen by the Turkish Journal of Botany to provide a novel understanding of plant use in medicine.

#### **Guest Editors**

Prof. Dr. İlkay ERDOĞAN ORHAN Prof. Dr. Selami SELVİ Prof. Dr. Uğur ÇAKILCIOĞLU