

Manuscript template: Full title must be in sentence case

The first page should contain the full title in sentence case (e.g., Multiplication modules with Krull dimension)

First AUTHOR^{1*}, Second AUTHOR^{1,2}

The full names (last names fully capitalised) and affiliations (in English) of all authors

¹Department, Faculty, University, City, Country

²Department of Mathematics, Faculty of Science, İzmir Institute of Technology, İzmir, Turkey
 (Department, Faculty, University, City, Country), and the contact e-mail address for the clearly identified
 corresponding author.

Received: .201

Accepted/Published Online: .201

Final Version: ..201

Abstract: The abstract should provide clear information about the research and the results obtained, and should not exceed 200 words. The abstract should not contain citations.

Key words: Please provide key words or phrases to enable retrieval and indexing. Acronyms should be avoided.

1. Introduction

The classical Newtonian n -body problem consists of the study of a system formed by n punctual bodies with positives masses m_1, \dots, m_n interacting by Newton's gravitational law [3].

Symbols, units, and abbreviations: In general, the journal follows the conventions of Scientific Style and Format, The CSE Manual for Authors, Editors, and Publishers, Council of Science Editors, Reston, VA, USA (7th ed.). All abbreviations and acronyms should be defined at first mention.

2. Section

Manuscript content: Research articles should be divided into logically ordered and numbered sections. Principal sections should be numbered consecutively with Arabic numerals (1. Introduction, 2. Formulation of problem, etc.) and subsections should be numbered 1.1., 1.2., etc. Do not number the Acknowledgements or References sections.

The above integrals of motion can be used in system (2.1) to reduce at most ten degrees of freedom.

The above integrals of motion can be used in system Definition 2.2, Definition 2.2 to reduce at most ten degrees of freedom (2.2).

Definition 2.1 Assume that (A1) and (A2) are satisfied. The equilibrium E_0 of system is always a stable node for all parameters.

Definition 2.2 Assume that (A1) and (A2) are satisfied. The equilibrium E_0 of system (2.2) is always a stable node for all parameters.

*Correspondence: math@tubitak.gov.tr

2010 AMS Mathematics Subject Classification: 23584 (Each manuscript should be accompanied by classification numbers from the American Mathematical Society's classification scheme.)

equation Formulae should be numbered consecutively in parentheses. (2.1)

2.1. Subsection

Now, to finish the proof it is enough to take the squares of both sides of the above relations and use the chain relation [2].

Theorem 2.3 Assume that (A1) and (A2) are satisfied. The equilibrium E_0 of system (??) is always a stable node for all parameters.

Proof The first part of the theorem follows immediately from the Table. As for the stability of E_i ($i = 1, 2$), the Jacobian matrixes evaluated at E_i ($i = 1, 2$) are ... 2.4. \square

equation (2.2)

Lemma 2.4 Let $\mathcal{K}_{1,p}$ be a star and $\mathcal{S}_{1,q}^2$ be a bicyclic graph with exactly two cycles and $q - 4$ pendent vertices.

2.1.1. Subsubsection

To see that the above proof is actually an alternative proof of Theorem 3.4 of Table 1, Figure 1.

Tables and Figures

All illustrations (photographs, drawings, graphs, etc.), not including tables, must be labelled “Figure.”

All tables and figures must have a caption and/or legend and be numbered (e.g., Table 1, Figure 2), unless there is only one table or figure, in which case it should be labelled “Table” or “Figure” with no numbering. Captions must be written in sentence case (e.g., Jackknife and bootstrap with moving blocks.).

All tables and figures must be numbered consecutively as they are referred to in the text. Please refer to tables and figures with capitalisation and unabbreviated (e.g., “As shown in Figure 2”, and not “Fig. 2” or “figure 2”).

The resolution of images should not be less than 118 pixels/cm when width is set to 16 cm. Images must be scanned at 1200 dpi resolution and submitted in jpeg or tiff format.

Graphs and diagrams must be drawn with a line weight between 0.5 and 1 point. Graphs and diagrams with a line weight of less than 0.5 point or more than 1 point are not accepted. Scanned or photocopied graphs and diagrams are not accepted.

Charts must be prepared in 2 dimensions unless required by the data used. Charts unnecessarily prepared in 3 dimensions are not accepted.

Table 1. default.

	Fl_{15}	$T_2(Fl_{15})$	$L(Fl_{15})$	$T_1[L(Fl_{15})]$
n	31	91	60	600
m	60	660	540	1620
$F(G)$	28080	1120080	900720	7210080
(...)	28013.501	955958.802	816347.027	4616746.829
(...)	28015.492	955287.95	817804.321	4571543.636




Figure 1. default.

3. Conclusion

Efficiency is quantified in terms of computation, communication, and round complexity. Then one can observe that the curves B_i in the Matsumoto relation and the curves A_{g-i} are related in the following way.

Acknowledgment

Acknowledgement and/or disclaimers, if any.

Names of funding organizations should be written in full.

References

References must be listed in alphabetical order at the end of the article and numbered in square brackets. All authors should be included in reference lists unless there are 6 or more, in which case only the first 5 should be given, followed by et al. . The citations should be given via cite command during the preparation of LaTeX file, not given in square brackets manually.. Do not use individual sets of brackets for citation numbers that appear together, e.g., [2, 6], not [2], [7].

Do not include personal communications, unpublished data, websites, or other unpublished materials as references, although such material may be inserted (in parentheses) in the text. In the case of publications in languages other than English, the published English title should be provided if one exists, with an annotation such as “(article in Turkish with an abstract in English)”. If the publication was not published with an English title, cite the original title only; do not provide a self-translation. References should be formatted as follows (please note the punctuation and capitalisation):

References

- [1] Lee SD, Kim BH, Choi JH. Warped product spaces with Ricci conditions. Turkish Journal of Mathematics 2017; 41 (6): 1365-1375. doi: 10.3906/mat-1606-49
- [2] Skriver H, Mattia F, Satalino G, Balenzano A, Pauwels VRN et al. Crop classification using short-revisit multitemporal SAR data. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing 2011; 4 (2): 423-431. doi: 10.1109/JSTARS.2011.2106198
- [3] Alt nta A. Trist r ve triyak harmoniklerinin 3 boyutlu g sterimi ve toplam harmonik bozunuma e ri uydurma. Pamukkale niversitesi M u ħhendislik Bilimleri Dergisi 2004; 10 (3): 415-421 (in Turkish).
- [4] Ko yi it Y, Dilma S. Cardiac arrhythmia diagnosis using firefly algorithm. KS M u ħhendislik Bilimleri Dergisi 2018; 21 (3): 226-234 (in Turkish with an abstract in English). doi: 10.17780/ksujes.435734
- [5] Kelly S, Tolvanen JP. Domain-Specific Modeling: Enabling Full Code Generation. Hoboken, NJ, USA: Wiley-IEEE Computer Society Press, 2008.

- 1 [6] Lui SH. Numerical Analysis of Partial Differential Equations. Hoboken, NJ, USA: Wiley, 2011.
- 2 [7] Nathanson MB. One, two, many: individuality and collectivity in mathematics. In: Pitici M (editor). The Best
3 Writing on Mathematics 2011. Princeton, NJ, USA: Princeton University Press, 2012, pp. 43-51.
- 4 [8] Luszczyk P, Dongarra J. Design of interactive environment for numerically intensive parallel linear algebra calcula-
5 tions. In: Computational Science 4th International Conference Proceedings; Krakow, Poland; 2004. pp. 270-277.
- 6 [9] Bozkaya C. Boundary element method solution of initial and boundary value problems in fluid dynamics and
7 magnetohydrodynamics. PhD, Middle East Technical University, Ankara, Turkey, 2008.